

EASTPNEUMATIC

PRODUCT CATALOG

Industrial Air & Electric Tools · 2026 Edition

164+ Models

Models across 8 categories

33 Years

Founded in 1993

50+ Countries

Export markets

CE / RoHS

Certified compliance

Zhejiang East Pneumatic Machinery Co., Ltd.

No.1, B, Xixi Industrial Zone, Hongqiao, Yueqing, Zhejiang, China

sales@eastpneumatic.com · +86 577 6233 6581 · www.eastpneumatic.com

Air Sander (112 models)



EP313

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.93 kg (2.13 lb)

Air Sander (Heavy Duty)



EP313-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.93 kg (2.13 lb)

Air Sander (Heavy Duty)



EP313-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.97 kg (2.13 lb)

Air Sander (Heavy Duty)



EP313-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.97 kg (2.13 lb)

Air Sander (Heavy Duty)



EP3150

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP3150-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander

Air Sander (112 models)



EP3150-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP3150-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander



EP4102

2 inch pad

50 mm (2") pad · 0.7 kg (1.62 lb) ·

Mini Orbital Sander



EP4103

3 inch pad

75 mm (3") pad · 0.7 kg (1.62 lb) ·

Mini Orbital Sander



EP4151

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP4151-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander

Air Sander (112 models)



EP4151-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)
Air Sander



EP4151-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)
Air Sander



EP4151C

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)
Air Sander



EP4151C-1

1.25 inch pad | 3/16" orbit

32 mm pad · 0.5 kg (1.1 lb) · 8,50
Mini Air Orbital Sander



EP4151C-3

3 inch pad | 3/16" orbit

75 mm (3") pad · 0.83 kg (1.82 lb)
Mini Air Orbital Sander



EP4151C-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)
Air Sander

Air Sander (112 models)



EP4151C-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP4151C-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander



EP4151CR

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP4151CR-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander



EP4151CR-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP4151CR-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander

Air Sander (112 models)



EP4151CRT

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP4151CRT-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander



EP4151CRT-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP4151CRT-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander



EP4151CT

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander (Industrial)



EP4151CT-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander

Air Sander (112 models)



EP4151CT-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP4151CT-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander



EP4151N

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP4151N-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander



EP4151N-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP4151N-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander

Air Sander (112 models)



EP4151NT

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP4151NT-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander



EP4151NT-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP4151NT-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander



EP4152C

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP4152C-6

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander

Air Sander (112 models)



EP4152C-6-S

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP4152C-S

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander



EP4152CR

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP4152CR-6

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander



EP4152CR-6-S

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP4152CR-S

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander

Air Sander (112 models)



EP4152CRT

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP4152CRT-6

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander



EP4152CRT-6-S

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP4152CRT-S

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander



EP4152CT

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP4152CT-6

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander

Air Sander (112 models)



EP4152CT-6-S

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP4152CT-S

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander



EP4152N

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP4152N-6

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander



EP4152N-6-S

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP4152N-S

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander

Air Sander (112 models)



EP4152NT

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP4152NT-6

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander



EP4152NT-6-S

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP4152NT-S

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander



EP4204

75×100 mm rectangular pad

75×100 mm pad · 0.8 kg (1.85 lb)

Rectangle Air Sander



EP4204-S

75×100 mm rectangular pad

75×100 mm pad · 0.8 kg (1.85 lb)

Rectangle Air Sander

Air Sander (112 models)



EP5151N

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.94 kg (2.07 lb)

Air Sander



EP5151N-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.98 kg (2.16 lb)

Air Sander



EP5151N-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP5151N-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 1.12 kg (2.47 lb)

Air Sander



EP5151NT

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.94 kg (2.07 lb)

Air Sander



EP5151NT-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.98 kg (2.16 lb)

Air Sander

Air Sander (112 models)



EP5151NT-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP5151NT-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 1.12 kg (2.47 lb)

Air Sander



EP5152N

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.94 kg (2.07 lb)

Air Sander



EP5152N-6

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.98 kg (2.16 lb)

Air Sander



EP5152N-6-S

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP5152N-S

5 inch pad | 3/32" orbit

125 mm (5") pad · 1.12 kg (2.47 lb)

Air Sander

Air Sander (112 models)



EP5152NT

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.94 kg (2.07 lb)

Air Sander



EP5152NT-6

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.98 kg (2.16 lb)

Air Sander



EP5152NT-6-S

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP5152NT-S

5 inch pad | 3/32" orbit

125 mm (5") pad · 1.12 kg (2.47 lb)

Air Sander



EP6151

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP6151-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander

Air Sander (112 models)



EP6151-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP6151-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander



EP6151T

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP6151T-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander



EP6151T-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP6151T-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander

Air Sander (112 models)



EP6152

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP6152-6

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander



EP6152-6-S

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP6152-S

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander



EP6152T

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.83 kg (1.82 lb)

Air Sander



EP6152T-6

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.83 kg (1.82 lb)

Air Sander

Air Sander (112 models)



EP6152T-6-S

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.93 kg (2.04 lb)

Air Sander



EP6152T-S

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.93 kg (2.04 lb)

Air Sander



EP7151

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.87 kg (1.92 lb)

Air Sander



EP7151-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.87 kg (1.92 lb)

Air Sander



EP7151-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.97 kg (2.13 lb)

Air Sander



EP7151-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.97 kg (2.13 lb)

Air Sander

Air Sander (112 models)



EP8151

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.87 kg (1.92 lb)

Air Sander



EP8151-6

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.87 kg (1.92 lb)

Air Sander



EP8151-6-S

6 inch pad | 3/16" orbit

152 mm (6") pad · 0.97 kg (2.13 lb)

Air Sander



EP8151-S

5 inch pad | 3/16" orbit

125 mm (5") pad · 0.97 kg (2.13 lb)

Air Sander



EP8152

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.87 kg (1.92 lb)

Air Sander



EP8152-6

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.87 kg (1.92 lb)

Air Sander

Air Sander (112 models)



EP8152-6-S

6 inch pad | 3/32" orbit

152 mm (6") pad · 0.97 kg (2.13 lb)

Air Sander



EP8152-S

5 inch pad | 3/32" orbit

125 mm (5") pad · 0.97 kg (2.13 lb)

Air Sander



EP8206

70×198 mm rectangular pad

70×198 mm pad · 1.1 kg (2.54 lb)

Rectangle Air Sander



EP8208

95×175 mm rectangular pad

95×175 mm pad · 1.1 kg (2.54 lb)

Rectangle Air Sander

Air Screwdriver (20 models)



EP05

5–45 Nm | Up to M5

195 mm (7.68 in) · 0.8 kg (1.75 lb)

Air Screwdriver



EP301

5–30 Nm | Up to M5

195 mm (7.68 in) · 0.7 kg (1.54 lb)

Air Screwdriver



EP301J

5–30 Nm | Up to M5

195 mm (7.68 in) · 0.7 kg (1.54 lb)

Air Screwdriver



EP305HL

5–45 Nm | Up to M5

220 mm (8.66 in) · 1.0 kg (2.26 lb)

Air Screwdriver



EP3101

5–50 Nm | Up to M5

195 mm (7.68 in) · 0.7 kg (1.54 lb)

Air Screwdriver



EP3202

5–45 Nm | Up to M5

195 mm (7.68 in) · 0.7 kg (1.54 lb)

Air Screwdriver

Air Screwdriver (20 models)



EP3203

5–45 Nm | Up to M5

195 mm (7.68 in) · 0.8 kg (1.71 lb)

Air Screwdriver



EP3205

5–45 Nm | Up to M5

195 mm (7.68 in) · 0.7 kg (1.54 lb)

Air Screwdriver



EP3306

5–50 Nm | Up to M5

195 mm (7.68 in) · 0.7 kg (1.54 lb)

Air Screwdriver



EP3308

20–180 Nm | Up to M8

212 mm (8.35 in) · 1.05 kg (2.32 lb)

Air Screwdriver



EP3310

20–200 Nm | Up to M10

225 mm (8.85 in) · 1.3 kg (2.86 lb)

Air Screwdriver



EP3310HL

20–200 Nm | Up to M10

240 mm (8.85 in) · 1.3 kg (2.86 lb)

Air Screwdriver

Air Screwdriver (20 models)



EP3312

20–220 Nm | Up to M12

225 mm (8.85 in) · 1.5 kg (3.3 lb) ·

Air Screwdriver



EP6308

15–110 Nm | Up to M10

163 mm (6.42 in) · 1.25 kg (2.75 lb)

Air Screwdriver



EP6312

20–280 Nm | Up to M14

163 mm (6.42 in) · 1.55 kg (3.41 lb)

Air Screwdriver



EP6312R

20–280 Nm | Up to M14

163 mm (6.42 in) · 1.55 kg (3.41 lb)

Air Screwdriver (Double Hammer)



EPAS30

0.3–1.7 Nm | Up to M3

180 mm (7.09 in) · 0.48 kg (1.06 lb)

Air Screwdriver



EPAS35

0.3–2.0 Nm | Up to M3

180 mm (7.09 in) · 0.48 kg (1.06 lb)

Air Screwdriver

Air Screwdriver (20 models)



EPAS40

0.3–3.0 Nm | Up to M3

180 mm (7.09 in) · 0.48 kg (1.06 lb)

Air Screwdriver



EPAS45

0.3–4.0 Nm | Up to M3

180 mm (7.09 in) · 0.48 kg (1.06 lb)

Air Screwdriver

Air Die Grinder (8 models)



EP103

3 & 6 mm collet

171 mm (6.75 in) · 0.3 kg (0.66 lb)

Air Die Grinder



EP3170

1/8" collet

— · 0.4 kg (kit) · 54,000 rpm

Micro Air Die Grinder Kit



EP5102

3 & 6 mm collet

171 mm (6.75 in) · 0.58 kg (1.27 lb)

Air Die Grinder



EP5104

3 & 6 mm collet

171 mm (6.75 in) · 0.58 kg (1.27 lb)

Air Die Grinder



EP5203

3 & 6 mm collet

138 mm (5.45 in) · 0.3 kg (0.66 lb)

Air Die Grinder



EP5206

3 & 6 mm collet

168 mm (6.6 in) · 0.55 kg (1.2 lb) ·

Air Die Grinder

Air Die Grinder (8 models)



EP5302

3 & 6 mm collet

171 mm (6.75 in) · 0.58 kg (1.27 lb)

Air Die Grinder



EP5304

3 & 6 mm collet

171 mm (6.75 in) · 0.58 kg (1.27 lb)

Air Die Grinder

Air Angle Grinder (6 models)

**EP1780****4 inch wheel**210 mm (8.3 in) · 1.4 kg (3.08 lb) ·
Air Angle Grinder**EP1780TL****4 inch wheel**210 mm (8.3 in) · 1.43 kg (3.08 lb)
Air Angle Grinder**EP1782****5 inch wheel**220 mm (8.66 in) · 1.9 kg (4.18 lb)
Air Angle Grinder**EP1782TL****5 inch wheel**220 mm (8.66 in) · 1.9 kg (4.18 lb)
Air Angle Grinder**EP1790TL****4 inch wheel**210 mm (8.3 in) · 1.4 kg (3.08 lb) ·
Air Angle Grinder**EP1792TL****5 inch wheel**220 mm (8.66 in) · 1.9 kg (4.18 lb)
Air Angle Grinder

Brushless Electric Sander (6 models)



EP8183

75 × 100 mm rectangular pad

75 × 100 mm rectangular pad · 1.1
Brushless Electric Sander



EP8184

70 × 198 mm rectangular pad

70 × 198 mm rectangular pad · 1.1
Brushless Electric Sander



EP8185

125 mm (5") pad

125 mm (5") pad · 1.1 kg (2.42 lb)
Brushless Electric Orbital Sander



EP8185A

125 mm (5") pad | 3/32" orbit

125 mm (5") pad · 1.1 kg (2.42 lb)
Brushless Electric Orbital Sander



EP8186

150 mm (6") pad

150 mm (6") pad · 1.1 kg (2.42 lb)
Brushless Electric Orbital Sander



EP8186A

150 mm (6") pad | 3/32" orbit

150 mm (6") pad · 1.1 kg (2.42 lb)
Brushless Electric Orbital Sander

Air Drill (5 models)



EP2106

6 mm (1/4") chuck

6 mm (1/4") chuck · 0.76 kg (1.68 l

Air Drill (Inline)



EP6102R

13 mm (1/2") chuck

13 mm (1/2") chuck · 1.76 kg (3.88

Air Drill



EP6103R

10 mm (3/8") chuck

10 mm (3/8") chuck · 1.15 kg (2.53

Air Drill



EP6302R

13 mm (1/2") chuck

13 mm (1/2") chuck · 1.97 kg (4.34

Air Drill



EP6303R

10 mm (3/8") chuck

10 mm (3/8") chuck · 1.37 kg (3.02

Air Drill

Air Riveter (4 models)



EP5048

M2.4–M4.8 bolt capacity

— · 1.4 kg · —

Air Riveter



EP5148

M2.4–M4.8 bolt capacity

— · 1.35 kg (2.98 lb) · —

Air Riveter



EP6906

M4–M6 bolt capacity

185 mm (6.5 in) · 1.49 kg (3.28 lb)

Air Riveter



EP6908

M6–M10 bolt capacity

180 mm (7.1 in) · 1.58 kg (3.48 lb)

Air Riveter

Air Belt Sander (3 models)



EP9101

10 × 330 mm belt

10×330 mm belt · — · 16,000 rp

Air Belt Sander



EP9102

20 × 520 mm belt

20×520 mm belt · — · 16,000 rp

Air Belt Sander



EP9103

10 × 600 mm belt

10×600 mm belt · — · 16,000 rp

Air Belt Sander

Contact Us

Company

Full name: Zhejiang East Pneumatic Machinery Co., Ltd.
Founded: 1993 · Zhejiang, China
Facility: 8,000 m² owned plant · 55 employees · annual capacity 700,000 tools
Address: No.1, B, Xixi Industrial Zone, Hongqiao, Yueqing, Zhejiang, China
Contact: sales@eastpneumatic.com · +86 577 6233 6581
Fax / Mobile: +86 577 6233 6582 · +86 151 5777 8222
Website: www.eastpneumatic.com

Export Markets

Brazil Russia
India Poland
Turkey Egypt
Germany Vietnam
Indonesia Mexico

Business Terms

MOQ 100 pcs · Sample lead time 15 days · Production lead time 30 days
12-month warranty · OEM / ODM supported · CE & RoHS certified

Request a Quote

sales@eastpneumatic.com quote page: www.eastpneumatic.com/quote.html